

Amendment to the Specification:

Please amend the specification as follows:

Please replace the word “infection” with “injection” in the sentences which appear at:

- Page 5, lines 14-16 of the specification:

The organic emitting layers 22 and 24 each are made of a hole injection layer 200, an emitting layer 202 and an electron ~~infection~~ injection layer 204.

- Page 26, lines 12-22 of the specification:

For an organic emitting layer, MTDATA was deposited in a thickness of 55 nm as a hole injection layer, the materials represented by the above-mentioned formulas (1) and (3) were deposited at a ratio of (1) to (3) of 10 to 0.25 in a thickness of 10 nm as a blue light emitting layer, the materials represented by the above-mentioned formulas (1) and (2) were deposited at a ratio of (1) to (2) of 30 to 0.8 in a thickness of 30 nm as an orange light emitting layer, Alq was deposited in a thickness of 20 nm as an electron ~~infection~~ injection layer and Al was deposited in a thickness of 150 nm as a cathode in this order.